



GTXASCC2 - YELLOW/BLACK

**GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED
BREATHABLE HIGH VISIBILITY RAINWEAR COAT YELLOW/BLACK**



GORE-TEX PYRAD® GARMENT FOR EXTREME WEATHER PROTECTION

LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE & WINDPROOF

FEATURES

- Removable hood.
- Triple storm flap with heavy duty two way YKK zip
- Elasticated adjustable storm cuffs.
- Internal cuff
- Two Hip pockets
- Stand up collar

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

FEATURES

- Sleeve pocket
- Radio mic loops
- YKK Zippers

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN 2L COAT(INCH)										
		S	M	L	XL	2XL	3XL	4XL	5XL	TOL±
1/2 Coat Chest	A	20 7/8	22 2/4	24	25 5/8	27 1/8	28 1/2	30 1/2	31 7/8	±1 1/6
Sleeve Length	B	32 7/8	33 2/4	34	34 5/8	35 2/8	36	36 1/2	37	±1 1/6
Centre Back Length	C	30 1/8	30	31	30 7/8	31 6/8	31 1/2	32 1/2	32 4/8	±4/5
1/2 Neck Circumference	D	11 3/8	11 2/4	11 3/4	11 6/8	12 2/8	12	12 1/2	12 5/8	±2/5
1/2 Cuff Circumference	E	5 1/8	5 1/4	5 2/4	5 6/8	5 7/8	6	6 1/2	6 4/8	±2/5
Middle zipper	F	26 1/8	26 1/4	26 3/4	26 6/8	27 3/8	27 1/2	28	28	±4/5
Pocket zipper		7 4/8	7 2/4	7 2/4	7 4/8	7 4/8	7 1/2	7 1/2	7 4/8	±2/5
Hood zipper		17 3/8	17 1/4	17 1/4	17 3/8	17 3/8	17 1/2	17 1/2	17 3/8	±4/5
Hood rope		37	37	37	37	37	37	37	37	±1 1/6

info@neilsenclimbing.com – www.neilsenclimbing.ca



GTXASCC - YELLOW

**GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED
BREATHABLE HIGH VISIBILITY RAINWEAR COAT YELLOW**



**GORE-TEX PYRAD® GARMENT FOR EXTREME WEATHER
PROTECTION**

LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE &
WINDPROOF

FEATURES

- Removable hood.
- Triple storm flap with heavy duty two way YKK zip
- Elasticated adjustable storm cuffs.
- Internal cuff
- Two Hip pockets
- Stand up collar
- Sleeve pocket

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

FEATURES

- Radio mic loops
- YKK Zippers

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN 2L COAT(INCH)										
		S	M	L	XL	2XL	3XL	4XL	5XL	TOL±
1/2 Coat Chest	A	20 7/8	22 2/4	24	25 5/8	27 1/8	28 1/2	30 1/2	31 7/8	±1 1/6
Sleeve Length	B	32 7/8	33 2/4	34	34 5/8	35 2/8	36	36 1/2	37	±1 1/6
Centre Back Length	C	30 1/8	30	31	30 7/8	31 6/8	31 1/2	32 1/2	32 4/8	±4/5
1/2 Neck Circumference	D	11 3/8	11 2/4	11 3/4	11 6/8	12 2/8	12	12 1/2	12 5/8	±2/5
1/2 Cuff Circumference	E	5 1/8	5 1/4	5 2/4	5 6/8	5 7/8	6	6 1/2	6 4/8	±2/5
Middle zipper	F	26 1/8	26 1/4	26 3/4	26 6/8	27 3/8	27 1/2	28	28	±4/5
Pocket zipper		7 4/8	7 2/4	7 2/4	7 4/8	7 4/8	7 1/2	7 1/2	7 4/8	±2/5
Hood zipper		17 3/8	17 1/4	17 1/4	17 3/8	17 3/8	17 1/2	17 1/2	17 3/8	±4/5
Hood rope		37	37	37	37	37	37	37	37	±1 1/6

info@neilsenclothing.com - www.neilsenclothing.com



GTXASCC - ORANGE/BLACK

GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED

BREATHABLE HIGH VISIBILITY RAINWEAR COAT ORANGE/BLACK



GORE-TEX PYRAD® GARMENT FOR EXTREME WEATHER PROTECTION

LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE & WINDPROOF

FEATURES

- Removable hood.
- Triple storm flap with heavy duty two way YKK zip
- Elasticated adjustable storm cuffs
- Internal cuff
- Two Hip pockets
- Stand up collar

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

FEATURES

- Sleeve pocket
- Radio mic loops
- YKK Zippers

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

		GORE DESIGN 2L COAT(INCH)								
		S	M	L	XL	2XL	3XL	4XL	5XL	TOL±
1/2 Coat Chest	A	20 7/8	22 2/4	24	25 5/8	27 1/8	28 1/2	30 1/2	31 7/8	±1 1/6
Sleeve Length	B	32 7/8	33 2/4	34	34 5/8	35 2/8	36	36 1/2	37	±1 1/6
Centre Back Length	C	30 1/8	30	31	30 7/8	31 6/8	31 1/2	32 1/2	32 4/8	±4/5
1/2 Neck Circumference	D	11 3/8	11 2/4	11 3/4	11 6/8	12 2/8	12	12 1/2	12 5/8	±2/5
1/2 Cuff Circumference	E	5 1/8	5 1/4	5 2/4	5 6/8	5 7/8	6	6 1/2	6 4/8	±2/5
Middle zipper	F	26 1/8	26 1/4	26 3/4	26 6/8	27 3/8	27 1/2	28	28	±4/5
Pocket zipper		7 4/8	7 2/4	7 2/4	7 4/8	7 4/8	7 1/2	7 1/2	7 4/8	±2/5
Hood zipper		17 3/8	17 1/4	17 1/4	17 3/8	17 3/8	17 1/2	17 1/2	17 3/8	±4/5
Hood rope		37	37	37	37	37	37	37	37	±1 1/6

info@neilsenclimbing.com – www.neilsenclimbing.ca





GTXASCBT2 - YELLOW/BLACK

**GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED
BREATHABLE HIGH VISIBILITY RAINWEAR BIB TROUSER
YELLOW/BLACK**



GORE-TEX EXTREME WEATHER PROTECTION

LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE & WINDPROOF

FEATURES

- Boot access with zippers and stormflap
- Adjustable suspenders
- Chest pocket
- 2 Cargo pockets

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN 2L BIBS(INCH)										
		S	M	L	XL	2XL	3XL	4XL	5XL	TOL ±
1/2 Waist	A	16	17 4/8	19 1/8	20 5/8	22 2/8	23 3/4	25 1/2	27	±3/4
1/2 Hip	B	19 4/8	21 1/8	22 5/8	24 2/8	25 6/8	27 1/4	29	65 3/8	±5/8
Inside seam	C	31 7/8	32 2/8	32 5/8	33 1/8	33 4/8	33 3/4	34 1/2	32 5/8	±5/8
1/2 Leg width	D	8 2/8	8 7/8	9 4/8	10	10 5/8	11 1/4	12	22 1/2	±3/8
Leg Zipper	E	60	60	60	60	60	60	60	60	±2
Fly Zipper	F	6 6/8	6 6/8	6 6/8	6 6/8	6 6/8	6 3/4	6 1/2	18 7/8	±5/8

info@neilsenclothing.com – www.neilsenclothing.ca





GTXASCBT - YELLOW/BLACK

**GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED
BREATHABLE HIGH VISIBILITY RAINWEAR BIB TROUSER
YELLOW/BLACK**



GORE-TEX EXTREME WEATHER PROTECTION

LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE & WINDPROOF

FEATURES

- Boot access with zippers and stormflap
- Adjustable suspenders
- Chest pocket
- 2 Cargo pockets

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN 2L BIBS(INCH)										
		S	M	L	XL	2XL	3XL	4XL	5XL	TOL ±
1/2 Waist	A	16	17 4/8	19 1/8	20 5/8	22 2/8	23 3/4	25 1/2	27	±3/4
1/2 Hip	B	19 4/8	21 1/8	22 5/8	24 2/8	25 6/8	27 1/4	29	65 3/8	±5/8
Inside seam	C	31 7/8	32 2/8	32 5/8	33 1/8	33 4/8	33 3/4	34 1/2	32 5/8	±5/8
1/2 Leg width	D	8 2/8	8 7/8	9 4/8	10	10 5/8	11 1/4	12	22 1/2	±3/8
Leg Zipper	E	60	60	60	60	60	60	60	60	±2
Fly Zipper	F	6 6/8	6 6/8	6 6/8	6 6/8	6 6/8	6 3/4	6 1/2	18 7/8	±5/8

info@neilsenclothing.com – www.neilsenclothing.ca





GTXASCBT - ORANGE/BLACK

**GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED
BREATHABLE HIGH VISIBILITY RAINWEAR BIB TROUSER
ORANGE/BLACK**



GORE-TEX EXTREME WEATHER PROTECTION

LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE & WINDPROOF

FEATURES

- Boot access with zippers and stormflap
- Adjustable suspenders
- Chest pocket
- 2 Cargo pockets

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN 2L BIBS(INCH)										
		S	M	L	XL	2XL	3XL	4XL	5XL	TOL ±
1/2 Waist	A	16	17 4/8	19 1/8	20 5/8	22 2/8	23 3/4	25 1/2	27	±3/4
1/2 Hip	B	19 4/8	21 1/8	22 5/8	24 2/8	25 6/8	27 1/4	29	65 3/8	±5/8
Inside seam	C	31 7/8	32 2/8	32 5/8	33 1/8	33 4/8	33 3/4	34 1/2	32 5/8	±5/8
1/2 Leg width	D	8 2/8	8 7/8	9 4/8	10	10 5/8	11 1/4	12	22 1/2	±3/8
Leg Zipper	E	60	60	60	60	60	60	60	60	±2
Fly Zipper	F	6 6/8	6 6/8	6 6/8	6 6/8	6 6/8	6 3/4	6 1/2	18 7/8	±5/8

info@neilsenclothing.com – www.neilsenclothing.ca





GTXASCT2 - YELLOW/BLACK

**GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED
BREATHABLE HIGH VISIBILITY RAINWEAR OVER TROUSER
YELLOW/BLACK**



**LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE &
WINDPROOF**

FEATURES

- Boot access with zippers and stormflap
- 2 Cargo pockets

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN TROUSERS (INCH)													
		XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	TOL ±
Waist relaxed	A	21 1/4	25 1/4	29 1/8	33 1/8	37	41	44 7/8	48 7/8	52 3/4	56 3/4	60 5/8	±1 3/8
Hip	B	40 1/8	43 1/4	47 1/4	51 1/8	55 1/8	59	63	66 7/8	70 7/8	74 3/4	78 3/4	±5/8
Leg opening	C	18 1/8	18 1/2	18 7/8	19 1/4	19 5/8	20 1/8	20 1/2	20 7/8	21 1/4	21 5/8	22	±3/8
Inseam Length	D	28 4/8	29 4/8	29 4/8	29 4/8	29 4/8	30 4/8	31 4/8	31 4/8	31 4/8	32 4/8	33 4/8	±5/8

info@neilsenclimbing.com – www.neilsenclimbing.ca





GTXASCT - YELLOW

**GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED
BREATHABLE HIGH VISIBILITY RAINWEAR OVER TROUSER
YELLOW**



**LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE &
WINDPROOF**

FEATURES

- Boot access with zippers and stormflap
- 2 Cargo pockets

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN TROUSERS (INCH)													
		XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	TOL ±
Waist relaxed	A	21 1/4	25 1/4	29 1/8	33 1/8	37	41	44 7/8	48 7/8	52 3/4	56 3/4	60 5/8	±1 3/8
Hip	B	40 1/8	43 1/4	47 1/4	51 1/8	55 1/8	59	63	66 7/8	70 7/8	74 3/4	78 3/4	±5/8
Leg opening	C	18 1/8	18 1/2	18 7/8	19 1/4	19 5/8	20 1/8	20 1/2	20 7/8	21 1/4	21 5/8	22	±3/8
Inseam Length	D	28 4/8	29 4/8	29 4/8	29 4/8	29 4/8	30 4/8	31 4/8	31 4/8	31 4/8	32 4/8	33 4/8	±5/8

info@neilsenclothing.com – www.neilsenclothing.ca





GTXASCT - ORANGE/BLACK

GORE-TEX PYRAD® EXTREME CAT 3 FR/ARC RATED

**BREATHABLE HIGH VISIBILITY RAINWEAR OVER TROUSER
ORANGE/BLACK**



**LIGHTWEIGHT DURABLE, WATERPROOF, BREATHABLE &
WINDPROOF**

FEATURES

- Boot access with zippers and stormflap
- 2 Cargo pockets

MATERIAL

- GORE-TEX PYRAD 2ly quick dry laminated outer fabric
- YKK FR Zipper
- 3M FR Reflective Tape

STANDARDS GARMENT MEETS

- ASTM 2733 flash fire
- ASTM F1891 electric arc
- NFPA 70E electric arc
- CSA Z462 electric arc
- 33.0 Cal/cm² ETB/ATPV (CAT 3)
- ANSI 107 or CSA Z96 Class 3 high visibility
- ASTM F1868 comfort
- ASTM E96 comfort

SIZE CHART

GORE DESIGN TROUSERS (INCH)													
		XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	TOL ±
Waist relaxed	A	21 1/4	25 1/4	29 1/8	33 1/8	37	41	44 7/8	48 7/8	52 3/4	56 3/4	60 5/8	±1 3/8
Hip	B	40 1/8	43 1/4	47 1/4	51 1/8	55 1/8	59	63	66 7/8	70 7/8	74 3/4	78 3/4	±5/8
Leg opening	C	18 1/8	18 1/2	18 7/8	19 1/4	19 5/8	20 1/8	20 1/2	20 7/8	21 1/4	21 5/8	22	±3/8
Inseam Length	D	28 4/8	29 4/8	29 4/8	29 4/8	29 4/8	30 4/8	31 4/8	31 4/8	31 4/8	32 4/8	33 4/8	±5/8

info@neilsenclothing.com – www.neilsenclothing.ca

